

VODYAKOV, L.T.; KOSHKINA, Ye.S.

Vater softening with cationites prepared from Pliocen and
Hauterivian clays. Trudy IXETI no.16:77-84 '51 [Fubl. '52].
(MIRA 12:12)

(Vater--Softening) (Base-exchanging compounds)





VODYAKO, II. N.

Defended his Dissertation for Candidate of Technical Sciences in the Belorussian Polytechnical Institute, Nansk, 1953

Dissertation: "Effect of High-Frequency Induction Hardening on the Structure and Mechanical Properties of Carburizing Steels 18 KhJT and 20 OKhN"

SO: Referativnyy Zhurnal Khimiya, No. 1, Oct. 1955 (W/29955, 26 Apr 54)

FUNKE, V.F. (Moskva); YUDKOVSKIY, S.I. (Moskva); Prinimala uchastiye VODYANAYA, T.A.

The second of the second secon

Structure and properties of alloys of zirconium diboride with iron, cobalt, and nickel. Izv.AN SSSR. Otd.tekh.nauk. Met.i topl. no.4:126-132 J1-Ag '62. (MIRA 15:8) (Zirconium alloys--Metallography) (Powder metallurgy)

CIA-RDP86-00513R001860410004-7

VODYANAYA, T.A.; MAKULOV, N.A.; ESSEN, A.I.

A control of Restaurance with the second process of the second se

Spectrum analysis of NIVO-3, NIKA, SKA-1, AMgK, No. 149, AMg6-1 alloys by metal specimens. Trudy Giprotsvetmetobrabotka no.24:355-358 165. (MIRA 18:11) (MIRA 18:11)

CIA-RDP86-00513R001860410004-7" APPROVED FOR RELEASE: 03/14/2001

VODYANIK, G.M.; STREL'TSOV, I.P.

New drive for NPI-type counter-rotating fans. Trudy NPI 137:81-87 '62.

(MIRA 16:10)

ZHURAVLEV, P.V.; VODYANIK, G.M.

Using SVM-6M fans in electric locomotive construction. Trudy NPI 137:73-79 '62. (MIRA 16:10)

the first of the second of the first of the

WODYANIK, I.I., inch.

Rolling of a crawler tractor with the formation of track.

Trakt. i sel'khozmash. no.9:12-14 S *65.

(MIRA 18:10)

¹58 .	ntrol in gas system		hoz. 8 no.9:5-7 (HIRA 11:10)	
l. Instit (G	ut ispolizonaniya gas distribution)	gaza AN USSR. (Remote contr	ol)	

```
VODYANIK, P.F.

Telemechanical control in the Stryy gas field, Gaz. prom. no.10:47-52
0 158.

(Stryy--Gas, Natural) (Remote control)
```


VODYAMIK, Fetr Federovich; DUEROVINA, K.D., ved. red.

[Automatic control of a gas field] Avtomaticleskee upravlenie gazovym promyslom. Moskva, Medra, 1964. 223 p.

(MIRA 17:8)

VODYANIK, G. M., CAND TECH SCI, INVEST-LOATION OF THE AERODYNAMICS. CERCUITS OF COUNTER-ROTATION AND VENTURE VENTURES. NOVOCHERKASSK, 1960. (MIN OF HIGHER AND SEC SPEC ED UKSSR. DONETS ORDER OF LABOR RED BANNER POLYTECH INST). (KL, 2-61, 207).


-121-




VODYANIK, P. F.

Automatic control of gas wells. Avtomatyka no.2:62-72 '60. (MIRA 13:7)

1. Institut ispol'zovaniya gaza AN USSR. (Automatic control) (Gas wells)





VODYAMIKOV, Yu. A.

Summer practical work of students on the collective farm. Biol.

v shkole no. 3:34-39 My-Je 158. (MIRA 11:8)

1. Novosibirskiy oblastnoy institut usovershenstvovaniya uchiteley. (Maslyanino--Agriculture--Study and teaching)

VODIANIKOV, KU. IA. [Vodyanikov, Ku. Ya.], kandidat na pedagogicheskite nauki, dotsent v Novosibirskiia durzhaven pedagogicheski institut.

Agricultural practical works in teaching production in rural schools. Biol's khim 5 no.1:45-50 163.

SHMYGLYA, A.A.; VODYANITSKAYA, N.I.

Experimental study of the motion of the plates of compressor valves. Khol. tekh. 42 no.4:14-18 Ji-Ag 165. (MIBA 18:9)

1. Odesskiy tekhnologicheskiy institut pishchevoy i kholodil'noy promyshlennosti.

(N) 1 12139-66

ACC NR: AP6000456

SOURCE CODE: UR/0064/65/000/009/0063/0065

AUTHOR: Vodyanitskiy, O. A.; Tsirlin, A. M.; Korobkov, Ye. I.

3 J B

ORG: None

TITLE: Reducing the formation of a deposit on the walls of piping systems by means of ultrasound

SOURCE: Khimicheskaya promyshlennost, no. 9, 1965, 63-65

TOPIC TAGS: naphthalene, ultrasonic vibration, pipe, fuel deposit formation, ultrasonic effect, gas

ABSTRACT: In order to determine whether ultrasound can prevent the formation of solid deposits from a circulated gas on pipe walls, dried nitrogen was saturated with naphthalene vapors, passed through a pipe in an ultrasonic field, then frozen. A GUZ-5P ultrasonic generator was used. With the ultrasound, 10—15% of the naphthalene passed through the freezing trap deposited on its walls, as compared to 45% in the absence of the ultrasound. This amount decreased to 6% when the intensity of the ultrasound was raised to 4.6 W/cm². Elimination of pipe weld intensity of the ultrasound was raised to 4.6 W/cm². Elimination of pipe weld joints was found to reduce the loss of acoustical energy and thus increase the effectiveness of the ultrasonic vibrations in preventing the formation of the deposit. The rate of formation and thickness of the naphthalene deposit decreased Card 1/2

L 12139-66

ACC NR: AP6000456

substantially with increasing intensity of the ultrasonic vibrations. The experiments showed that ultrasound can be successfully used to prevent deposit formation in gas apparatus and piping systems. Orig. art. has: 2 figures, 1 table, and 1 formula.

SUB CODE: 20,07/ SUBM DATE: 00 / ORIG REF: 004 / OTH REF: 001

HW


Card 2/2

VODYANITSELY, O.A., TSIRLIN, A.M.; AUROBROV, Ye.1.

Application of ultrasonic waves for decreasing especia formation

A CONTRACT TO THE PARTY OF THE

on the walls of piping systems. Khim. prom. 42 no.9:703-705 S 165. (MaRA 18:9)



TISHCHENKO, D.V.; NOSOVA, N.I.; VODZINSKAYA, A.N.; CORDON, L.V.

Industrial pyrocatechol from the acid liquor produced in the gasification of wood. Sbor.trud. TSNILKHI no.12:104-112 '57. (MIRA 13:10) (Pyrocatechol) (Wood distillation)

CHAYKOVSKIY, V.F., kand.tekhn.nauk, dotsent; SHMYGLYA, A.A., inzh.; VODYANITSKAYA, N.I., inzh.

Values of the mean temperature of the walls of a Freon uniflow compressor, Trudy OTIPiKhP 12:33-36 '62. (MIRA 17:1)

1. Kafedra kholodil'nykh mashin Odesskogo tekhnologicheskogo instituta pishchevoy i kholodil'noy promyshlennosti.

VODYANITSKAYA, Zh.; KOZHEVNIKOVA, E.

"Industrialization and mechanization in rural construction" exhibition. Sel'.stroi. 18 no.11:15-16 N '63. (MIRA 17:3)

1. Sotrudniki pavil'ona "Sel'skoye stroitel'stvo" na Vystavke dostizheniy narodnogo khozyaystva SSSR.

3.000 医型现在控制 (在2.000) 自己的 (2.000) [1.000]

SOURCE CODE: UR/0000/65/000/000/0053/0060 43916=66_ ACC NR: AT6020401

AUTHOR: Khizhnyak, N. A.; Vodyanitskiy, A. A.

ORG: none


TITLE: Heating of small plasmoids incident on an axially-symmetrical magnetic field

SOURCE: AN UKrSSR. Issleuovaniye plazmennykh sgustkov (Study of plasma clusters). Kiev, Naukova dumka, 1965, 53-60

TOPIC TAGS: plasmoid, plasma heating, plasma interaction, plasma magnetic field, plasma oscillation, thermodynamic analysis

ABSTRACT: This is a continuation of earlier work (in: Fizika plazmy i problemy upravlyayemogo termoyadernogo sinteza, y. 4, Naukova dumka, Kiev, 1965) where it was shown that the equations of motion of a plasmoid can be represented in the hydrodynamic approximation in terms of the total current in the plasmoid and its selfinduction. The present article deals with the heating of the plasmoid by the currents induced in it by the magnetic field. Since the magnetohydrod-mamic equations for this case are quite complicated, the connection between the effective dimensions of the plasmoid and its thermodynamic quantities are determined under the assumption that the plasmoid has a sufficiently abrupt boundary with the vacuum and that the relaxation processes in the plasma are quite rapid and satisfy the equations of an ideal gas. The thermodynamic equations for the plasmoid are then written out on the basis of these approximations. The plasmoid is assumed spherical or spheroidal with

Card 1/2



H.F.Rozenplenter winning. Torf.p	s article "Improving the excrom.32 no.4:24-25 '55.	cavator method of peat (MLRA 8:10)		
	1. Torfopredprivative "Shaulyay". (Peat industry)			

VODYANITSKIY, P.P., Organizing the winning of milled peat. Terf.prom.33 no.3:16-18 156. (MIRA 9:7) LShaulyayskoye torfopredprivative. (Peat industry)

SOV/135-59-9-14/23

18(5,7)

Vodyanitskiy, Ya. I. and Dolgitser, L. Z., Engineers

AUTHORS.

TITLE:

Arc Welding of Turbine Rotors for Drying Fans

PERIODICAL:

Sverochnoye proizvodstvo, 1959, Nr 9, pp 37-38 (USSE)

ABSTRACT:

The authors present some data for the welding of turbine rotors. In 1957 the Moscow factory "Santekhdetal:" organized the production of special air fans with two-side suction. This fan has an efficiency of 300,000 m³/h and is used for the working on corn seeds. Fig 1 shows the structure of the welded turbine. Large dimensions, thin metal and considerable length of the welds (85 m) caused difficulties during welding and assembly. Figs 3, 4 and 5 show the schemes of welding and assembly of the turbine. Electrodes type UCHI-13/45, with a diameter of 3.4 and 5 mm were used for the welding. Altogether 17 Kg electrodes and 32 KWh power are used for one turbine. Engineers R. A. Agranovich, I. B. Rotshteyn and A. K. Zetler participated in the welding of the turbine, as well as welders A. I. Savel'yev and M. N. Yarets. There are 5 drawings.

Card 1/1

CANCELLE BEEN SESSOR HAVE

VODYANNIKOVA. A.A.

Effect of ionizing irradiation on the course and microbiology of experimental infected wound. Biul.eksp.biol. i med. 48 no.7:34-38 J1 59. (MIRA 12:10)

l. Iz Sverdlovskogo nauchno-issledovatel'skogo instituta vosstanovitel'noy khirurgii, travmatologii i ortopedii (dir. - chlen-korrespondent AMN SSSR prof.F.R.Bogdanov). Predstavlena deystvitel'nym chlenom AMN SSSR N.N.Zhukovym-Verezhnikovym.

(WOUNDS AND INJURIES - infection)

(RADIATION EFFECTS - exper.)

A CONTRACTOR OF THE PROPERTY OF THE PARTY OF

VODYANNIKOVA. A.A.

Effect of the blood and of its components on the process of healing of newly infected experimental wounds [with summary in English].

Biul.eksp.biol. i med. 43 no.1:100-104 Ja 157. (MIRA 10:8)

1. Iz Sverdlovskogo nauchno-issledovatel'skogo instituta vosstanovitel'noy khirurgii, travmatologii i ortopedii (dir. - chlen-korrespondent
AMN SSSR prof. F.P.Bogdanov). Predstavlena deystvitel'nym chlenom
AMN SSSR prof. N.N.Zhukovym-Verezhnikovym.

(WOUMDS, experimental,
eff. of hemother. on healing (Rus))
(SEROTHERAPY,
hemother., eff. on exper. wds. healing (Rus))

GODNEVA, N.M.; VODYANNIKOVA, R.D.

betermination of microimparities in cesium, potassium, and sodium hydroxides. Zhur. smal. khim. 20 no.8:831-835 '65.
(MIRA 18:10)

l. Kol'skiy filial AN SSSR, Kirovsk.

is a second control of the second control of

USSR/Diseases of Farm Animals - General Problems.

R-1

Abs Jour

: Ref Zhur - Biol., No 10, 1958, 45369

Author

Krivonogov, K.P., Vodyanov, A.

Inst

: Stavropol' Agricultural Institute.

Title

On the Healing of Wounds in Poultry.

Orig Pub

Sb. naucyno-issled. rabot-stud. Stavropol'sk s. kh. in-t,

1956, vyp. 4, 110-112

Abstract

The experimental clinico-histologic studies showed that deep cut wounds in poultry are not accompanied by the development of purulent complications. The healing of wounds in poultry is not associated with a marked scrous inflammatory reaction, but with a rapid development of the proliferation of cells of the connective tissue.

The cut wounds in poultry heal very rapidly.

Card 1/1

VODYAHOVA, II

USSR / Pharmacology, Toxicology. Analeptics.

Abs Jour: Ref Zhur-Biol., No 18, 1958, 85133.

: Amitina, R. Z., Vodyanova, I. I. Author

: Not given. Inst

: The Influence of Chinese Lemon on Gastric Secretion. Title

Orig Pub: In the collection, Materialy k izuch. zhen! shenya

i limonnika, No 3, Leningrad, 1958, 184-186.

Abstract: In 15 healthy subjects and 11 patients with chronic gastritis, studies were made of the influence of ground lemon seeds (L) and of a 1.5% aqueous extract of them (EL) on gastric secretion and on the acidity of the gastric contents. L was given in 2 gm amounts in gelatin capsules; studies of EL were made by the same method as in the control experiments with a caffeine test meal. In the hyperacidic forms, increases, the content of free HCl in the gas-

Card 1/2

28

USSR / Pharmacology, Toxicology. Analeptics.

VI CONTRACTOR OF THE PROPERTY OF THE PROPERTY

Abs Jour: Ref Zhur-Biol., No 18, 1958, 85133.

Abstract: tric juice. EL influences the gastric secretion and the acidity of the gastric juice much less strongly than the caffeine solution commonly used for a test meal. -- V. V. Berezhinskaya.

Card 2/2

NODYANO

84-8-10/36

AUTHOR:

Vodyancy, A., Engineer

TITLE:

"Ukraina" (Sub-title: New Airplanes (Novyye samolety))

PERIODICAL: Grazhdanskaya Aviatsiya, 1957, Nr 8, pp. 14-17 (USSR)

ABSTRACT:

The turboprop passenger aircraft "Ukraina" was designed by a group of scientists under the leadership of O. K. Antonov in one of bureaus of the Ministry of the Aviation Industry. It is an all-metal cantilever mono-plane for transport of passengers, mail, and taggage. Its cruising speed, at an altitude of 8 to 10 km. is 600 to 650 kilometers per hour; the take-off weight is 51 tons, the payload is up to 13 tons. The cabin is designed to accommodate 84 passengers. The range varies, depending on the payload: with the cruising speed of 600-650 km. and a payload of 12 tons, the range is 2,000 km., whereas with a payload of 10 tons the range increases to 3,000 km., and so on up to 3,500 km. with a payload of 8.2 toms. The designers primarily had the comfort of passengers in mind. In addition, to enable the "Ukraina" to land on existing airfields of the GVF, the plane has high take-off and good landing capabilities. The plane is equipped with the most modern radio instruments (not specified) for flights by night and under difficult meteorological conditions. The

Card 1/5

AND OFFICE AND ADDRESS OF THE PARTY OF THE P

84-8-10/36

"Ukraina" (Cont.)

wing is of the monocoque type, consisting of central section, two inboard panels and two cantilever panels. It has a two-spar structure with normal and reinforced ribs and contains two fuel tanks. The fuselage is all-metal. The passenger cabin, separated from the cockpit by a partition, is in turn divided into four compartments: front compartment for 25 people; nursery and galley; central compartment for 46 people; and rear compartment for 13 people. The last sector car also be used for cargo instead of passengers. The front and the rear compartments have one toilet each. The cloak-room and luggage sector is between the front passenger cabin and the buffet. The cabin is airconditioned and pressurized. The pressure is maintained normal up to an altitude when it amounts to 0.5 kg per square cm.; it will rise thereafter in proper proportion. The horizontal tail surfaces are of all-metal construction. The two-spar stabilizer consists of two sections, each bolted to the fuselage bulkhead. The single-spar elevator also comprises two separate sections, each hinged to the rear stabilizer spar at four points. The elevator is

Card 2/5

84-8-10/35

"Ukraina" (Cont.)

axially compensated and has two symmetric trimmers. vertical tail surfaces comprise a two-spar metal-skin film and rudder with a trimmer and servo-compensator. The singlespar rudder is axially compensated and balanced; 15 18 hinged to the rear fin spar at three points. A fairing provides smooth transition from the fin to fuselage. The fin and stabilizer have removable leading edges containing electro-thermal de-icers. Controls of the first and second pilot are coupled. A retractable tail skid safeguards the tail of the fuselage from hitting the ground when landing. The two front landing gears have no brakes. The main gears have 4 wheels each, equipped with brakes. The plane is well capable of landing on grass-covered ground. The lowering and retraction of landing gears is synchronized, and is operated by hydraulic pumps attached the engines. The system has double control and can be operated from either the left or the right side. In addition, it can be operated manually. The working pressure of the hydraulic mixture is 150 kg per square om. The engines are attached to the nacelles by steel frames and provided with shock absorbers. The propellers have four blades. Starting is electromechanical by means of starter-

card 3/5

84-8-10/36

"Ukraina" (Cont.)

generators. The engines are powerful enough to allow taking-off on three engines only. At an altitude under 6,000 meters the plane can continue the flight with two engines in operation. The plane is equipped with de-icers. The crew consists of 6 men: the aircraft commander, second pilot, navigator, radioman, and two stewards. Work on further improving and simplifying the "Ukraina" goes on. The article is accompanied by 8 photographs and 1 diagram. The diagram shows a horizontal cross-sectional view of the "Ukraina". The photograph on page 14 shows a side view of the "Ukraina". On page 15 we see the chief designer 0. K. Antonov. On page 16 are two inside views of the passenger cabin: on top - the front compartment, on bottom the central compartment; and on top of page 17 the rear compartment. A photo in the center of page 17 shows the "corner" for mothers with babies (shown in the diagram on the opposite side of the buffet). The

Card 4/5

84-8-10/36 "Ukraina" (Cont.)

last two photos show Ya. I. Vershnikov, leading testing pilot of the "Ukraina" (photo on left) and navigator P. V. Koshkin.

AVAILABLE: Library of Congress

Card 5/5

the state of the s

YOUYANOT, -A.I.


vodyano, A. I.


Kurs teorii samoletov. Utverzhden v kachestve uchebnika dlia aviatsionnykh tekhn. shkol. Moskva, Gos. voen. izd-vo, 1940. 259 p., illus.

Title tr.: A course in aircraft construction theory. Approved as a textbook for aeronautical technical schools.

TL671.2.V54

SO: Aeronautical Sciences and Aviation in the Soviet Union, Library of Congress, 1955.





CHAYKOVSKIY, V.F., kand. tekhn. nauk; SHMYGLYA, A.A., inzh.; VODYANITSKAYA, N.I., inzh.

Methods for recording the changes in pressure during compressor testing. Khol. tekh. 39 no.5:11-15 S-0 '62. (MIRA 16:7)

1. Odesskiy tekhnologicheskiy institut pishchevoy i kholodil*noy
promyshlennosti.
(Compressors—Testing)

VODZINSKY, Vladimir, inz., DOJGAR, Andrej, inz.

Possibility of increasing the borehole coefficient, its effect on labor productivity and production costs in mine driving. Rudy 11 no.11: 365-368 N.63.

1. Banicka fakulta, Vysoka skola technicka, Kosice.

The second second second second second

L 29675-66 EWT(1)/ETC(f) IJP(c) AT/JXT(EX)
ACC NR: AT6012693 SOURCE CODE

Bernard and the state of the Light Control of the State o

SOURCE CODE: UR/3137/65/000/114/0001/0009

AUTHOR: Khizhnyak, N. A.; Vodyanitskiy, A. A.

ORG: Physicotechnical Institute, Academy of Sciences UkrSSR (Fiziko-tekhnicheskiy institut Akademii nauk UkrSSR)

TITLE: Oscillations and heating of small plasma bunches incident on an axially-symmetrical magnetic field

SOURCE: AN UkrSSR. Fiziko-tekhnicheskiy institut. Doklady, no. 114, 1965. O kolebaniyakh i nagreve malykh plazmennykh sgustkov, naletayushchikh na aksial'no-simmetrichnoye magnitnoye pole, 1-9

TOPIC TAGS: plasmoid, plasma heating, plasma oscillation, magnetohydrodynamics

ABSTRACT: This is a continuation of earlier work by one of the authors (Khizhnyak, Fizika plazmy i problemy upravlyayemogo termoyadernogo sinteza [Plasma Physics and Problems of Controlled Thermonuclear Fusion], No. 4, AN UkrSSR, Kiev, in press) where it is shown that the equations of motion of a plasmoid can be represented in the hydrodynamic approximation in terms of the total current in the plasmoid and its self-induction. The present article deals with the azimuthal current induced in a plasma following the incidence of plasmoids on an axially-symmetrical magnetic field, and the interaction of these induced currents with the external magnetic field, and the interaction of these induced currents with the

Card 1/2

L 29675-66

ACC NR: AT6012693


netic field and its effect on the plasma heating. The system of magnetohydrodynamic equations is written out for an ellipsoidal plasmoid which is solved for
two limiting values of a parameter defining the ratio of the Alfven frequency to
the hybrid frequency. An analysis of the results shows that if the initial gaskinetic pressure is smaller than the magnetic pressure, then the plasmoid will
start contracting on entering the magnetic field, until the kinetic pressure of
the plasma exceeds the magnetic pressure, and this contraction causes plasma heating. The next phase is expansion of the plasmoid accompanied by cooling. If the
kinetic pressure initially is larger than the magnetic pressure, then the plasmoid
will first expand and its temperature decrease. If the two pressures are equal,
the plasmoid will move without change in radius, other than that due to collisions.
Estimates are presented for the maximum and minimum of the temperature attained
by the plasmoid. The authors thank Z. A. Azovskaya for help with the numerical
calculations. Orig. art. has: 1 figure and 19 formulas.


SUB CODE: 20/ SUBM DATE: 00/ ORIG REF: 006


A STATE OF THE PROPERTY OF THE PARTY OF THE


Card 2/2 DE

VODYANITSKIY, V. A.		PA 66 17 8	
	. The same of the	•	
	VESR/Medicine - Biology, History Medicine - Biology, Studies	Jan 1948	·
	"Seventy-Five Years of the Sevastopol Station (1871-721947)," V. A. Vodya Biolog Sci, 52 pp	Biological nitakiy, Dr	
	"Yest Ak Nauk SSSR" No 1		
	Provides history of personnel and achievements of the station from the time of its founding to its present status.		
	:	·	
		66 1 78	
	o seed only		fi









VODYANITSKIY, V.A.

Concerning IU.P.Zaitsev's article on the development of the roe of flounders. Zool.zhur.33 no.1:220-221 Ja-F '54. (MLRA 7:2)

1. Sevastopol'skaya biologicheskaya stantsiya im. A.O.Kovalevskogo Akademii nauk SSSE. (Flounders) (Zaitsev, IU.P.)

Control of the Contro

Umsual lateral organs on the tail of the anchovy. Zool.zhur.
34 no.4:869-870 Jl-Ag '55. (MLRA 8:9)

1. Sevastopol'skaya biologicheskaya stantsiya Akademii nauk
SSSR imeni A.O.Kovalevskogo
(Anchovies)

VODYANITSKIY, V.A., professor.

Studying productivity and industrial resources of the Black Sea. Priroda 44 no.11:56-61 N '55. (MLRA 9:1)

Section of the sectio

(Black Sea--Marine biology)

VODYANITSKIY, V.A.

International session on the study of the Mediterranean Sea. Izv.AN SSSR. Ser. biol. no. 2:252-257 Mr-Ap '57. (MLRA 10:4) (MEDITERRANEAN SEA-MARINE BIOLOGY) (BLACK SEA-MARINE BIOLOGY)

VODYANITSKIY, V.A.

AUTHOR:

VODIANITSKIJ, V.A., Corresponding Member of the

PA - 2849

TITLE:

Ukrainian Academy of Science of the U.S.S.R.

Hydrobiological Research Work in the Countries on the Black Sea.

Hydrobiologichaskie issledovaniia chernomrskikh stran', Russian)

(Gidrobiologichaskie issledovaniia chernomrskikh stran', Russian)

PERIODICAL:

Vestnik Akademii Nauk SSSR, 1957, Vol 27, Nr 4, pp 68 - 73 (U.S.S.R.)
Received: 5 / 1957

ABSTRACT:

In the course of recent years interest for research of the Black Sea has risen considerably, above all in oceanographical and hydrobiological respect. The characteristic feature of the Black Sea is the fact that the deep zone, beginning with a depth of 150 - 200 m down to the bottom of the sea, contains dissolved hydrogen sulphide and therefore excludes all organic life. The salt content of the water of the Black Sea is: on the surface 18 %, after which it gradually increases and attains 22,4 % in depths of more than 2200 m. These hydrological properties, which were ascertained already in 1890, were later quite correctly explained by the fact that, because of the influx of mediterranean sea water through the narrow straits of the Bosporus into the lower strata of the Black Sea and because of the considerable influx of fresh water (on the north coast) a vertical mixture of water is prevented. Howe er, "biological productivity" depends on the rising to the surface of the nitrates and phosphates necessary for the vegetable world. Here, however,

Card 1/2

A LONG THE RESERVE OF THE PROPERTY OF THE PROP

PA - 2849

Hydrobiological Research Work in the Countries on the Black Sea. the necessary buoyant upthrust is lacking. It was therefore formerly assumed that biological productivity is obtained solely by the floating in of nutrients together with the inflow of fresh water of rivers. The nutrients then gradually pass from higher zones to lower ones, so that a "useless" accumulation of nutrients takes place in great depths, and therefore the comparatively poor plankton. This assumption was, however, found to be wrong in 1930; today it is taken as a matter of course that besides diffusion between higher and deeper zones, also an active exchange takes place, that the quantitative development of the plankton and its nutritive force is greater in the Black Sea than in the Mediterranean, but that it is lower than in the Caspian Sea. Sonsequently, intense research work was carried out. Thus, the investigation and elaboration of ichtyological problems has become a tradition in Roumania. Henceforth periodic meetings will take place with colleagues from other Black Sea countries. Not given

ASSOCIATION:

PRESENTED BY: SUBMITTED:

AVAILABLE:

Library of Congress.

Card 2/2

AUTHOR:

Vodyanitskiy, V. A., Corresponding

30-58-4-12/44

Member of the AS Ukrainian SSR

TITLE:

A Visit With the Biologists and Ichthyologist in Rumania

(U gidrobiologov i ikhtiologov Rumynii)

PERIODICAL:

Vestnik Akademii Nauk SSSR, 1958, Vol. 27. Nr 4,

pp. 71-73 (USSR)

ABSTRACT:

On an invitation by the Roumanian Academy the author of this article together with the collaborator of the biological station in Sevastopol' the ichthyologist Yu. G. Aleyev spent more than two and a half months in the Roumanian People's Republic in the autumn of 1957. This journey has to be regarded an ordinary stage of the development of scientific relations with Roumania and Bulgaria in the field of hydrobiological and ichthyological research and was arranged for scientific as well as for organizational reasons. The collaboration

and ichthyological research and was arranged for scientifias well as for organizational reasons. The collaboration in this field was especially effective since in June 1956 at a meeting of the 3 Academies (of the USSR, Bulgaria and Roumania) an uniform program for research work in the Black Sea had been accepted. In autumn 1956

Card 1/3

A Visit With the Biologists and Ichthyologist in Rumania

30-58-4-12/44

a large group of Bulgarian and Roumanian scientists visited the Soviet Black Sea ports and became familiar with a number of scientific institutions. In summer 1957 the ship "A. Kovalevskiy" of the biological station of Sevastopol: together with the Bulgarian expeditionary ship "9 septemvriya" carried out hydrobiological works in the central part of the Black Sea. According to a request by the Roumanian Academy Soviet scientists had a chance to become familiar with the laboratories and the current works of the Institute for the Research of Fishery. Then they visited the marine branch of the Institute in Konstantsa as well as the zoological marine station of Jassy University which had been considerably enlarged. From Konstantsa they travelled to the lakes of Razelm and Sinoy in the Danube delta and after that to the fish-station at Tul'cha. From there they made a voyage aboard the "Razelm" into the delta of the river Danube where they visited a number of other places, among other the Malyuk island where wide reed thickets grow which are used as raw material. Of late a national park was founded in the delta of the river Danube; some of the big islands of the Danube were

Card 2/3

A Visit With the Biologists and Ichthyologist in Rumania 30-58-4-12/44

Commence of the second second

changed into spawning places. At Braila they visited the scientific fishery station. They returned to Bukarest and took part in the meetings of the commission for hydrology and ichthyology where a representative of the Bulgarian AS, the zoologist Professor P. Drenski also was present. At these meetings the fulfilment of the common program was checked. Also the problem of the Permanent International Committee for the Investigation of the Black Sea was discussed. It was decided on asking the Oceanographic and Ichthyologic Commission of the AS USSR to take the initiative and call a constituting meeting of this committee in 1958.

1. Marine biology-Black Sea

Card 3/3

and the second of the second o

26-58-2-7/48

AUTHOR:

Vodyanitskiy, V.A., Professor. Corresponding Member of the

Ukrainian SSR Academy of Sciences

TITLE:

Should We Allow the Dumping of Atomic Industrial Waste in the Black Sea? (Dopustim-li sbros otkhodov atomnykh proizvodstv

v Chernoye More?)

Vol. 217,

PERIODICAL:

Priroda, 1958, Nr 3, pp 46-52 (USSR)

ABSTRACT:

The Black Sea was till recently considered as consisting of two separate layers, an upper layer to a depth of 200 m and a lower layer with greater salt and hydrogen sulfide content below that depth. No intermixing was thought to take place between the two layers and it has therefore been proposed to use the black Sea as a dump for radioactive waste. The Turkish hydrologist, N. Pektas distinguished three layers. Water from the Mediterranean flows into the Black Sea and mixes with the surface layer but not with the bottom, stagnant one. The author attacks both these theories and brings hydrological, hydrochemical and bacteriological evidence to show that there is considerable mixing between all layers of the Black Sea, of which he finds five. The causes of this are: winds creating a cyclonic system of surface currents, the rotation of the Earth

Card 1/2

26-58-2-7/48


Should We Allow the Dumping of Atomic Industrial Waste in the Black Sea?

deflecting the currents to the right and clockwise, cooling of the surface layers, heating of the deeper layers, internal waves, turbulent movements and diffusion. He concludes that because of this constant mixing of the layers, the Black Sea should not be used as a dump for radioactive waste. Scientists active in this field have been: M.A. Dobrzhanskaya, N.M. Knipovich, Yu.M. Shokal'skiy, N.I. Chigirin and M.N. Lebedeva, who detected on the surface bacteria belonging only to the deep layer.

There are 16 references, 10 of which are Soviet, 2 German, 2 Turkish and 2 English.

ASSOCIATION: Sevastopol'skaya biologicheskaya stantsiya (Sevastopol' Biological Station)

Card 2/2 1. Atomic waste--Disposal 2. Black sea--Applications




VODYANITSKIY, V.A.; SUSHCHENYA, L.M.

"Primary production of waters" by G.G.Vinberg. Reviewed by V.A. Vodianitskii, L.M. Sushchenia. Zhur. ob. biol. 21 no.5:390-392 S-0 '60. (MIRA 13:9)

The second secon

1. Sevastopol'skaya biologicheskaya stantsiya. (PHYTOPLANKTON) (VINBERG, G.G.)



ALEYEV, Yuriy Glebovich; VODYANITSKIY, V.A., otv. red.; EEKKER, V.E., red.izd-va; TIKHOMIROVA, S.G., tekhn. red.

[Functional principles of the external structure of fish]
Funktsional nye osnovy vneshnego stroeniia ryty. Moskva,
Izd-vo Akad. nauk SSSR, 1963. 246 p. (MIRA 16:6)

(Fishes-Anatomy)

VODYANITSKIY, A.A. [Vodianyts'kyi, O.A.]

Polarization energy losses of a charge moving along a circle in a medium with dispersion. Ukr. fiz. zhur. 8 no.8:855-860 Ag '63.

1. Fiziko-tekhnicheskiy institut AN UkrSSR, Khar'kov.

VODYANITSKIY, V.A., otv. red.; DOLGOFOL'SKAYA, M.A., kand. biol. nauk, red.; VINOCRADOV, K.A., doktor biol. nauk, red.; GREZE, V.N., doktor biol. nauk, red.; IVLEV, V.S., doktor biol. nauk, red.[deceased]; KISELEVA, M.I., kand. biol. nauk, red.; SHARPILO, L.D., red.

· A compared to the second of the second of

[Benthos] Bentos. Kiev, Naukova dumka, 1965. 137 p.
(MIRA 18:7)

1. Akademiya nauk SSSR. 2. Chlen-korrespondent AN Ukr.SSR (for Vodyanitskiy).

VODYANITSKIY, V.A., otv. red.; DOLGOPOL'SKAYA, M.A., kand. biol. nauk. red.; GREZE, V.N., doktor biol. nauk, red.; IVLEV, V.S., doktor biol. nauk, red.[deceased]; PITSYK, G.K., kand. biol. nauk, red.; SHARPILO, L.D., red.

[Studies of plankton in the Black and Azev Seas] Issledovaniia planktona Chernogo i Azevskogo morei. Kiev, Naukova dumka, 1965. 115 p. (MIRA 18:8)

ROAD TO THE STATE OF THE STATE

.. Akademiya nauk URSR, Kiev. 2. Chlen-korrespondent AN Ukr.SSR (for Vodyanitskiy).

VOLYABUTEKIY, 7.2.

Marine hydreni logy. Gidrofiel. zaun. 1 no.1:12-19 '65.

(MIRA 18:5)

1. Institut biologii yuzhnykh morey AN UkrSSR, Sevastopol'.

ASTAKHOVA, L.N.; UTNITSKAYA, P.M.; LEVINA, T.A.; KURANOVA, L.K.;
VODYAHNIKOVA, A.A.; SUCHILINIKOVA, N.A.; MYLINIKOVA, N.Ye.;
LYUBOVITSKAYA, V.Z.

THE RESERVE THE PROPERTY OF TH

Separability of the poliomyelitis virus in those innoculated with live attenuated vaccine. Vop. virus 7 no.1:121 Ja-F '62.

1. Sverdlovskiy institut po profilaktike poliomiyelita.

(POLIOMYELITIS VACCINE)

VODYANOVA, I.I.

Some functional studies of the kidneys in hemorrhagic nephrosonephritis. Trudy Khab.med.inst. no.20:95-103 '60. (MIRA 15:10)

1. Iz fakul'tetskoy terapevticheskoy kliniki (zav. prof. Sh.I. Ratner) Khabarovskogo meditsinskogo instituta.

(KIDNEYS-DISEASES) (HEMORRHAGIC FEVER)

VCDYANCY, A., inzh.

Air express An-24. Grazhd. av. 19 no.3:18-20 Mr '62.

(MIRA 15:5)

(Airplanes—Jet propulsion)

CIA-RDP86-00513R001860410004-7 "APPROVED FOR RELEASE: 03/14/2001

s/084/62/000/003/col/004 DO45/D114

AUTHOR:

Vodyanoy, A., Engineer

The An-24 express aircraft

Grazhdanskaya aviatsiya, no. 3, 1962, 18-20 TITLE: PERIODICAL:

TEXT: General data and data on individual parts of the AH -24 (An-24) TEAT: General data and data on individual parts of the MH -24 (An-24) The aircraft, which will fly on airlines of the GVF in 1962, are described. aircraft, which will fly on airlines of the GVF in 1962, are described power plant consists of two AN -24 (AI-24) A.G. Ivchenko turbo-prop AN -24 (AV-72) A-blade veriable-mitch circ power plant consists of two HM -24 (AI-24) A.G. Ivchenko turbo-prop engines, each driving an AB -72 (AV-72) 4-blade variable-pitch airscrew. engines, each driving an AB -72 (AV-72) 4-blade variable-pitch airscrew.

The full capacity of the fuel system is 5550 1, and of the oil system - 53 1.

The full capacity of the fuel system span - 29.2 m. wing area - 71.3 m.,

The wing span - 29.2 m. wing area. The full capacity of the fuel system is 5500 1, and of the oil system - 5 The aircraft is 23.53 m long, the wing span - 29.2 m, wing area - 71.3 m the sight - 8 32 m propeller electrons the aircraft 18 25.55 m long, the wing span - 29.2 m, wing area - 71.3 height - 8.32 m, propeller clearance - 1.15 m, cabin door clearance - 1.55 m maximum tabasoff waight - 19200 kg height - 8.52 m, propeller clearance - 1.15 m, cabin door clearance - 1.55 m, maximum take-off weight - 19200 kg, pay load - 4000 kg, cruising 2065 1.55 m, maximum take-off weight - 19200 kg, pay load - 4000 kg, cruising speed - 475 km/hr, service ceiling - 9100 m, maximum flight range - 2065 m. speed - 475 km/hr, service ceiling - 9100 m, maximum flight range - 2065 m, and flight altitude - 450-500 m, landing run - 400-500 m, and flight altitude into starting run - 450-500 m, landing run convert the basic 44-seater type into 4000-8000 m. Dosign changes made to convert the basic 44-seater type into the basic 44-seater type in

Card 1/3

s/084/62/000/003/001/004 DO45/D114

passenger-freight and freight types are described. The fuselage is of The An-24 express aircraft semi-monocoque structure, and the tapered monocoque wing unit consists of a center panel, two middle portions and two cantilever parts. The tail unit is of the cantilever type. The retractable tricycle-type landing gear has twin wheels on all units. If the landing gear does not lower on landing, a warning siren is switched on. Means of controlling individual parts of the aircraft, e.g. the elevator, ailerons, rudder, are described. The hydraulic system, which operates on an AMT -10 (AMG-10) liquid, consists of a basic unit operating from two hydro-pumps installed on the engines, and an emergency unit operating from a pumping plant. The rated pressure within the system is 155 kg/cm². For preventing the wing, vertical fin, stabilizer and air intakes from icing up, warm-air de-icers ate used, and for protecting the propeller blades and cowlings, accumulators. astro-compasses, etc., electric heating is applied. The plane can fly Two-way communications during day and night and in bad weather conditions. with the ground, with other members of the crew, with the traffic control. point and other aircraft can be maintained. The basic piloting and navi-

Card 2/3

An An-24 express aircraft

S/084/62/000/003/001/004 D045/D114

gational instruments are duplicated so as to enable the co-pilot to control the aircraft independently. Information on the general layout of the passenger liner and on various structural materials employed is given in detail. There are 6 figures.

Card 3/3

VODYANOY, A.; SOLONEVICH, F., predpodavatel!

Control over the preservation of merchandise in cold storage. Sov. (MIRA 16'3)
torg. 36 no.3:32-33 Mr '63.

1. Glavnyy bukhgalter Kholodil'nika No.7 Myasorybtorga, Moskva. (Cold storage warehouses)

VODYANY, V. A.

Extraction of metals from ore tailings
Sverdlovsk, Gos. nauchno-tekhn. izd-vo lit-ry po chernoi i tsvetnoi metallurgii,
1954. 123 p. (55- 32297)
TS214.V58

1. Scrap metal industry.

KORCHAZHKIN, M.T.; GRACHEV, V.N.; VODYANOY, Yu.A.

KGV-1 direct-flow flow beam. Gaz. delo. no.2:13-14 '64.

(MIRA 17:6)

1. Vsesoyuznyy nauchmo-issledovatel'skiy institut prirodnogo gaza.

VCDY.NYUK, N F N/5

S62

S62

48

Fizida i Mhimiya v pozharnom dele. Izd. 2-0, perer. i dep. 1052

(Physics and Chem'stry in Fire Extinguishing, by)

N. F. Vodyanyuk, K. M. Savel'yev. Moskva, 1952.

162 p. illus., diagrs., tables.

VODYANYUK, N.F.; SAVEL'YEV, K.M.; TARASOV-AGALAKOV, N.A., spetsial'nyy redaktor; IOFINOVA, Ts.B., redaktor; PETROVSKAYA, Ye., tekhniche-skiy redaktor

and the second of the second o

[Physics and chemistry in fire extinction] Fizika i khimiia v pozharnom dele. Izd. 2-e, perer. i dop. Moskva, Izd-vo Ministerstva
kommunal'nogo khoziaistva RSFSR, 1952. 162 p. [Microfilm]
(Fire extinction) (MLRA 7:10)
(Firemen's mamuals)

GLUBISH, P.A.; VOLYANYUK, S.O., ispolnyayushchiy obyazannosti starshego nauchnogo sotrudnika; SHUTENKO, G.F., inzh.-tekhnolog; KULIKOV, A.I.

Use of acrylamide for warp sizing. Tekst. prom. 25 no.5: 37-40 My '65. (MIRA 18:5)

1. Zavedyushchiy sektorom Ukrainskogo nauchno-issledovatel'-skogo instituta tekstil'noy promyshlennosti (for Glubish).
2. Glavnyy inzh. Zhitomirskogo l'nokombinata (for Kulikov).

TISHCHENKO, D.V.; VODZINSKAYA, A.N.; FILIPPOV, L.A.

Isolating guaiacol from wood phenols. Gidroliz.i lesokhim.prom. 9 no.3:6-8 156. (MLRA 9:8)

1. Lesotekhnicheskaya Akademiya (for Tishchenko); 2. TSentral'nyy nauchno-issledovatel'skiy lesokhimicheskiy institut (for Vodzinskaya).
(Guaiacol) (Phenols)

VODZINSKHYM, A:N.

USSR/Chemical Technology - Chemical Products and Their Application. Wood Chemistry Products. Cellulose and Its Manufacture. Paper, I-23

THE REAL PROPERTY.

Abst Journal: Referat Zhur - Khimiya, No 19, 1956, 63343

Author: Tishchenko, D. V., Vodzinskaya, A. N., Filippov, L. A.

Institution: None

Title: Recovery of Guaiacol from Wood-Chemical Phenols

Original


Periodical: Gidroliznaya i lesokhim. prom-st, 1956, No 3, 6-8

Abstract: Two methods have been worked out for recovery of guaiacol from wood-chemical phenols: (1) by formation of acid guaiacolate of ammonia on interaction of NH₃ with the phenols (180-212° fraction); at low temperature the guaiacolate crystallizes out is separated by filtration from the admixtures and is decomposed at 100° to yield guaiacol and ammonia; (2) by precipitation of Mg guaiacolate from alkaline solution of phenolates in the process of separation of wood-resin cils (180-

2120 fraction) into phenols, acids and neutral substances. Mg and NaOH are regenerated. Pure crystalline guaiacol has been isolated with a

yield of up to 75% of the amount contained in the oil.

Card 1/1



PEFILOV, V.V.; VODZINSKAYA, A.H. Composition of the tar produced in the gasification of wood wastes. Gidroliz.i lesokhim.prom. 12 no.8:5-7 '59. (MIRA 13:4) 1. TSentral'nyy nauchno-issledovatel'skiy lesokhimicheskiy institut. (Wood tar) (Wood waste)

Vodzinskaya, H.N.

TISHCHENKO, D.V.; GOLDON, L.V.; VODZINSKAYA, A.N.

Extraction of phonols from settled tar oils. Gidrolis. i lesokhim. prom. 8 no.6:6-8 155. (MIRA 9:1)

l.TSentral'naya nauchno-issledovatel'skaya laboratoriya khimicheskogo instituta.

(Wood tar) (Phenols)

VODZINSKAYA, A.N.; TISHCHEMIC, D.V.

Characteristics of resins processed at the Amzinskii Plant. Giroliz.

(MLRA 198)-1

i lesokhim.prom. 10 no.5:9-11 '57. (ELRA 198)-1


1. TSentral'nyy nauchno-issledovatel'skogo lesokhimicheskogo instituta. (Gums and resins)


VODZINSKAYA, A.N.


Isolation of methylcyclopentenolone from the products of the thermal decomposition of wood, and study of its properties. Sbor.trud.


TSNILKHI no.12:56-63 157.

(Cyclopentenone) (Wood-Chemistry)









SIMANOVSKAYA, R.E.; VORZINSKAYA, Z.V.; KOROTOVA, Z.F.

Phosphogypsum and its use in the manufacture of sulfuric acid and portland cement; laboratory studies. [Trudy] NIUIF no.160: (MIRA 12:8)

9-49 '58. (Gypsum) (Portland cement) (Sulfuric acid)

SIMANOVSKAYA, R.E.; rukovoditel' raboty; SHPUNT, S.Ya.; VODZINSKAYA, Z.V.;
KOKINA, Z.I.; PSTUKHOVA, M.G.; NAYDENOVA, V.A.; VAS'YANOV, V.P.;
VASIL'YEV, N.F., master; ORLOV, N.N., starshiy apparatchik;
NAUMOV, P.M., starshiy apparatchik; TRUPIN, M.P., starshiy apparatchik;
VOLKOVA, V.M., starshiy apparatchik; ZORINA, Ye.A.; KIROVA, V.A.;
LUTOVA, Z.I., ZENKINA, Z.P., laborant; SEMOKHINA, L.A., laborant;
NIKITINA, N.A.

Phosphogypsum and its use in the manufacture of sulfuric acid and portland cement; small-scale operation at the pilot plant of the Scientific Research Institute of Fertilizers and Insectifuges.

[Trudy] NIUIF no.160:59-76 '58. (MIRA 12:8)

1. Sotrudniki Nauchnogo instituta po udobreniyam i insektofungisidam (for Simanovskaya, Shpunt, Vodzinskaya, Kokina, Fastukhova, Naydenova). 2. Zamestiteli nachalinika 3-go tsekha Opytnogo zavoda Nauchnogo instituta po udobreniyam i insektofungisidam (for Vasiyanov). 3.3-y tsekh Opytnogo savoda Nauchnogo instituta po udobreniyam i insektofungisidam (for Vasiliyev, Orlov, Naumov, Trupin, Volkova, Zorina, Kirova, Lutova, Zenkina, Samokhina). 4. TSentralinaya analiticheskaya laboratoriya Opytnogo zavoda Nauchnogo instituta po udobreniyam i insektofungisidam (for Nikitina).

(Gypsum) (Fortland cement) (Sulfuric acid)